RZ800E QUEUE MANAGEMENT SYSTEM

4.1.1 Wiring System

LED Counter Display — Welcome   Welcome   Welcome — Switch Power

PC Port — Download ware — PC — LED Main Display

Display Port

Manipulator Port — Opinion Controller

Manipulator

☐ junction box   ——— CAT5 or CAT6 cable   ·········· DC12V or 48V

LCD main display installation

Switch — Computer (QPLAY software)

Q MASTER

Queuing System

LCD TOUCH SCREEN DISTRIBUTOR RZ800E

RZ800E is able to handle and set Max.16 types service item by scroll screen display 8" mini touch screen.

1.Support to connect with Max   32pcs manipulator and 8pcs main display.

2. Support customers opinion evaluation and connect with Max. 32pcs opinion controller

3.Install Embedded QReport software in one terminal computer, able to get all queue report

4. Able to save Max.27378pcs call record one time, total capacity of call record is more than 27,378,100,000pcs.

5. Each counter are able to afford Max. 8 types service item, call priority can set as per ticket-printing time or the set service priority.

6. Support digital tube&dot matrix LED display, dot matrix display can show any country

language and picture, the display text can freely be changed and edited as per customer's need.

7. Ticket paper width is 57mm and ticket length can freely set by users, able to print picture

and the text of any country language on ticket, the content can freely be changed and edited

according to customer's need.

8. Voice adopt MP3 player, actual and professional MP3 voice, able to add other language voice

9. Color: Brown wood

LED COUNTER DISPLAY CP37-A12Net

Shape made of injection molding,beautiful appearance,
convenient installation, suitable for different parts of the installation.
High brightness red LED display, resolution is 16*96(16 dot-matrix 12 characters LED)
Power supply by inner Switch Power DC 5V

* If characters are over 8pcs, it can scroll display from left to right
* Advert message can freely be edited and changed by users
*Can display any country language characters and graph
* Automatically switches to display advert message when call idle
* Input RS485 signal, Input voltage: AC200V/110V

MANIPULATOR CZQE-01

With 21 buttons LCD display, functions such as recall, call, call transfer, option call, give opinion……
Black model

QPLAY SOFTWARE

Play AVI ,DVD,VCD,MPEG,ASF….file format
Freely edit and change queue and advert message
Display queue and advert message at one time
Support to connect many Plasma display/LCD by VGA signal cable and Video Splitter
/distributor, so yourself need buy VGA signal cables and Video Splitter
"Qplay" software with one activation key
"Qplay" software running environment: Windows 2000/XP
You need prepare for one computer to connect with LCD or Plasma display